

A S3	Seymour Whyte	67520	6/06/2018	10/06/2018	95.2	8/06/2018	18/06/2018	600	Nil	7.4	38	50	
A S3	Seymour Whyte	67520	6/06/2018	10/06/2018	95.2	8/06/2018	19/06/2018	300	Nil	8.1	4	20	
A S3	Seymour Whyte	56880	27/06/2018	28/06/2018	17.4	28/06/2018	28/06/2018	100	Nil	7.7	awaiting lab results	20	
A S3	Seymour Whyte	57260	27/06/2018	28/06/2018	17.4	28/06/2018	28/06/2018	400	Nil	6.5	awaiting lab results	20	
A S3	Seymour Whyte	59210	27/06/2018	28/06/2018	17.4	28/06/2018	28/06/2018	200	Nil	6.6	awaiting lab results	20	
A S3	Seymour Whyte	62150	27/06/2018	28/06/2018	17.4	28/06/2018	28/06/2018	100	Nil	6.6	awaiting lab results	15	
A S3	Seymour Whyte	63540	27/06/2018	28/06/2018	17.4	28/06/2018	28/06/2018	100	Nil	8	awaiting lab results	10	
A S3	Seymour Whyte	65570	27/06/2018	28/06/2018	27.6	28/06/2018	28/06/2018	100	Nil	6.7	awaiting lab results	13	
A S3	Seymour Whyte	67250	27/06/2018	28/06/2018	27.6	28/06/2018	28/06/2018	200	Nil	8.2	awaiting lab results	35	
A S3	Seymour Whyte	68090	27/06/2018	28/06/2018	27.6	28/06/2018	28/06/2018	400	Nil	6.9	awaiting lab results	35	
A S3	Seymour Whyte	57260	27/06/2018	28/06/2018	17.4	28/06/2018	29/06/2018	100	Nil	6.5	awaiting lab results	20	
A S3	Seymour Whyte	62150	27/06/2018	28/06/2018	17.4	28/06/2018	29/06/2018	100	Nil	6.6	awaiting lab results	10	
A S3	Seymour Whyte	66490	27/06/2018	28/06/2018	17.4	29/06/2018	29/06/2018	100	Nil	7.7	awaiting lab results	24	
A S3	Seymour Whyte	67340	27/06/2018	28/06/2018	27.6	29/06/2018	29/06/2018	100	Nil	6.7	awaiting lab results	10	
A S3	Seymour Whyte	67940	27/06/2018	28/06/2018	27.6	29/06/2018	29/06/2018	400	Nil	6.8	awaiting lab results	24	
A S3	Seymour Whyte	68700	27/06/2018	28/06/2018	27.6	29/06/2018	29/06/2018	500	Nil	8.3	awaiting lab results	35	
A S3	Seymour Whyte	43490	27/06/2018	28/06/2018	15.6	2/07/2018	2/07/2018	40	Nil	7	awaiting lab results	20	
A S3	Seymour Whyte	44200	27/06/2018	28/06/2018	15.6	30/06/2018	30/06/2018	80	Nil	7.1	awaiting lab results	20	
A S3	Seymour Whyte	44470	27/06/2018	28/06/2018	15.6	27/06/2018	27/06/2018	240	Nil	6.7	awaiting lab results	30	
A S3	Seymour Whyte	46000	27/06/2018	28/06/2018	15.6	29/06/2018	29/06/2018	250	Nil	6.6	awaiting lab results	17	
A S3	Seymour Whyte	47020	27/06/2018	28/06/2018	15.6	2/07/2018	2/07/2018	450	Nil	6.8	awaiting lab results	20	
A S3	Seymour Whyte	47340	27/06/2018	28/06/2018	15.6	28/06/2018	28/06/2018	80	Nil	6.7	awaiting lab results	17	
A S3	Seymour Whyte	47710	27/06/2018	28/06/2018	15.6	28/06/2018	28/06/2018	300	Nil	6.8	awaiting lab results	32	
A S3	Seymour Whyte	48010	27/06/2018	28/06/2018	15.6	29/06/2018	29/06/2018	200	Nil	6.8	awaiting lab results	20	
A S3	Seymour Whyte	48610	27/06/2018	28/06/2018	15.6	29/06/2018	29/06/2018	80	Nil	7	awaiting lab results	22	
A S3	Seymour Whyte	48780	27/06/2018	28/06/2018	15.6	29/06/2018	29/06/2018	200	Nil	7.3	awaiting lab results	24	
A S3	Seymour Whyte	50010	27/06/2018	28/06/2018	15.6	29/06/2018	29/06/2018	100	Nil	7	awaiting lab results	24	
A S3	Seymour Whyte	50360	27/06/2018	28/06/2018	15.6	2/07/2018	2/07/2018	400	Nil	6.9	awaiting lab results	24	
A S3	Seymour Whyte	51450	27/06/2018	28/06/2018	15.6	2/07/2018	2/07/2018	200	Nil	6.8	awaiting lab results	24	
A S3	Seymour Whyte	52390	27/06/2018	28/06/2018	15.6	29/06/2018	29/06/2018	100	Nil	6.9	awaiting lab results	24	
A S3	Seymour Whyte	52680	27/06/2018	28/06/2018	15.6	2/07/2018	2/07/2018	100	Nil	7.1	awaiting lab results	24	
A S3	Seymour Whyte	53660	27/06/2018	28/06/2018	15.6	2/07/2018	2/07/2018	300	Nil	7.6	awaiting lab results	24	
A S3	Seymour Whyte	53830	27/06/2018	28/06/2018	15.6	2/07/2018	2/07/2018	300	Nil	7.2	awaiting lab results	24	
A S3	Seymour Whyte	54660	27/06/2018	28/06/2018	15.6	3/07/2018	3/07/2018	200	Nil	7.1	awaiting lab results	24	
A S3	Seymour Whyte	55110	27/06/2018	28/06/2018	15.6	3/07/2018	3/07/2018	400	Nil	6.9	awaiting lab results	24	
A S4	BGC	SB 77500 W	6/06/2018	10/06/2018	0.0816	8/06/2018	14/06/2018	621	Nil	6.95	19	37	
A S4	BGC	SB 77800	6/06/2018	10/06/2018	0.0816	8/06/2018	8/06/2018	295	Nil	7.06	22	26	
A S4	BGC	SB 78000	6/06/2018	10/06/2018	0.0816	18/06/2018	19/06/2018	730	Nil	6.96		13.6	Compliant on 10/06
A S4	BGC	SB 77500 E	6/06/2018	10/06/2018	0.0816	13/06/2018	13/06/2018	1140	Nil	7.56		75.7	
A S4	BGC	SB 78450 W	6/06/2018	10/06/2018	0.0816	8/06/2018	14/06/2018	295	Nil	7.31	22	33	
A S4	BGC	SB 78450 E	6/06/2018	10/06/2018	0.0816	12/06/2018	12/06/2018	2340	Nil	6.74	23	30	
A S4	BGC	SB GH4	6/06/2018	10/06/2018	0.0816	8/06/2018	13/06/2018	1751	Nil	7.68	24	33	
A S4	BGC	SB 78450	6/06/2018	10/06/2018	0.0816	8/06/2018	13/06/2018	781	Nil	7.58		65.2	
A S4	BGC	SB 78200	6/06/2018	10/06/2018	0.0816	N/A	N/A	N/A	N/A	N/A		N/A	Basin was compliant
A S4	BGC	SB 75200 E	6/06/2018	10/06/2018	0.0816	8/06/2018	14/06/2018	498	Nil	7.38		55.7	
A S4	BGC	SB 75200 W	6/06/2018	10/06/2018	0.0816	8/06/2018	15/06/2018	213	Nil	7.41		74.6	
A S4	BGC	SB 69500 W	6/06/2018	10/06/2018	0.0816	12/06/2018	15/06/2018	327	Nil	8.1		76	
A S4	BGC	SB 69620	6/06/2018	10/06/2018	0.092	8/06/2018	8/06/2018	2992kL	Nil	7.63	22	28	TSS/NTU Correlation
A S4	BGC	SB 68910 W	6/06/2018	10/06/2018	0.092	8/06/2018	8/06/2018	283	Nil	6.67		78.8	
A S4	BGC	SB 69610 W	6/06/2018	10/06/2018	0.092	8/06/2018	8/06/2018	390	Nil	6.72	6	9	
A S4	BGC	SB 69052	6/06/2018	10/06/2018	0.092	N/A	N/A	N/A	N/A	N/A		N/A	Basin was compliant
A S4	BGC	SB 77500E	6/06/2018	10/06/2018	0.0816		19/06/2018		Nil	7.77		79.6	Compliant on 10/06
A S4	BGC	SB 69620	27/06/2018	29/06/2018	0.0396		29/06/2018	2600	Nil	7.26	TBA	75.3	Awaiting results from EAL
A S4	BGC	SB 69610 W	27/06/2018	29/06/2018	0.0396		29/06/2018	397	Nil	7.48	TBA	15.1	Awaiting results from EAL
A S4	BGC	SB 68910 W	27/06/2018	29/06/2018	0.0396		29/06/2018	283	Nil	7.14		14.5	
A S4	BGC	SB 77500E	27/06/2018	29/06/2018	0.016		30/06/2018	294.5	Nil	7.84	TBA	24.8	Awaiting results from EAL
B S5	Golding	Iluka Basin East	6/06/2018	10/06/2018	85	11/06/2018	12/06/2018	900	Nil	6.9		28.3	
B S5	Golding	Castle Pad Basin	6/06/2018	10/06/2018	85	11/06/2018	12/06/2018	600	Nil	6.9		13.8	requires desilting
B S5	Golding	MI Garret Basin	15/06/2018	15/06/2018	0.4		18/06/2018	300	Nil	8.05		26.4	
B S5	BMD (Div Lanes)	C1	2/06/2018	7/06/2018			8/06/2018		Nil	6.82	20	28	
B S5	BMD (Div Lanes)	MC01	2/06/2018	7/06/2018			8/06/2018		Nil	6.98		18.3	
B S5	BMD (Div Lanes)	MC03	2/06/2018	7/06/2018			8/06/2018		Nil	7.14	15	28.2	

B S5	BMD (Div Lanes)	C1	8/06/2018	13/06/2018			13/06/2018		Nil	6.93		11		
B S5	BMD (Div Lanes)	MC03	8/06/2018	13/06/2018			13/06/2018		Nil	7.2	5	15		
B S6	BMD Constructions	BMD-SB03	6/06/2018	10/06/2018	74.2		7/06/2018	8/06/2018	500	Nil	6.72		31.4	TSS/Turbidity correlation approved
B S6	BMD Constructions	BMD-SBC8	6/06/2018	10/06/2018	74.2		7/06/2018	9/06/2018	200	Nil	7.24		14.9	TSS/Turbidity correlation approved
B S6	BMD Constructions	BMD-SB01	6/06/2018	10/06/2018	74.2		7/06/2018	9/06/2018	100	Nil	6.78		33.4	TSS/Turbidity correlation approved
B S6	BMD Constructions	BMD-SB12	6/06/2018	10/06/2018	74.2		7/06/2018	9/06/2018	300	Nil	6.57	1	12.6	TSS/Turbidity correlation approved
B S6	BMD Constructions	BMD-SB03	6/06/2018	10/06/2018	74.2		7/06/2018	9/06/2018	200	Nil	6.62		29.8	TSS/Turbidity correlation approved
B S6	BMD Constructions	BMD-SB03	6/06/2018	10/06/2018	74.2		7/06/2018	13/06/2018	200	Nil	6.92	13	19	TSS/Turbidity correlation approved
B S6	BMD Constructions	BMD-SB03	6/06/2018	10/06/2018	74.2		7/06/2018	14/06/2018	600	Nil	6.55	13	32.2	TSS/Turbidity correlation approved
B S6	BMD Constructions	BMD-SB08	6/06/2018	10/06/2018	74.2		7/06/2018	14/06/2018	500	Nil	6.85	13	35	TSS/Turbidity correlation approved
B S6	BMD Constructions	BMD-SB08	6/06/2018	10/06/2018	74.2		7/06/2018	15/06/2018	300	Nil	6.57	35	35	TSS/Turbidity correlation approved
D S 10 & 11	LendLease	Wardell Road Basin CH152800E	N/A	N/A	-		18/05/2018	21/05/2018	354	Nil	7.3	12	15.72	No rainfall - water trucks transporting water from site ESC controls to basin
D S 10 & 11	LendLease	Wardell Road Basin CH152800E	N/A	N/A	-		18/05/2018	24/05/2018	70.8	Nil	7.2	7	9.52	No rainfall - water trucks transporting water from site ESC controls to basin
D S 10 & 11	LendLease	Wardell Road Basin CH152800E	N/A	N/A	-		18/05/2018	25/05/2018	35.4	Nil	7.2	8	11.05	No rainfall - water trucks transporting water from site ESC controls to basin
D S 10 & 11	LendLease	Cut 3 South West 147220W	24/05/2018	28/05/2018	28.2		10/05/2018	28/05/2018	1045	Nil	7.1	5	8.96	No treatment required. Basin inlet and drainage lines pre dosed with gypsum on 10/5/2018
D S 10 & 11	LendLease	Cut 3 South West 147220W	24/05/2018	28/05/2018	28.2		10/05/2018	29/05/2018	298	Nil	7.4	6	8.02	No treatment required. Basin inlet and drainage lines pre dosed with gypsum on 10/5/2018
D S 10 & 11	LendLease	Montis Basin 149200E	24/05/2018	28/05/2018	28.2		10/05/2018	31/05/2018	522	Nil	7.3	33	44	No treatment required. Basin inlet and drainage lines pre dosed with gypsum on 10/5/2018
D S 10 & 11	LendLease	Gibsons Quarry 148450W	24/05/2018	28/05/2018	28.2		-	31/05/2018	821	Nil	7.3	8	13.59	No treatment required. Self Floccing
D S 10 & 11	LendLease	Cut 3 Sth East 147220E	24/05/2018	28/05/2018	28.2		10/05/2018	31/05/2018	323	Nil	7.7	15	32.1	No treatment required. Basin inlet and drainage lines pre dosed with gypsum on 10/5/2018
D S 10 & 11	LendLease	Gibsons Quarry 148450W	N/A	N/A	-		-	4/06/2018	190.6	Nil	6.9	9	5.75	No treatment required. Self Floccing
D S 10 & 11	LendLease	Gibsons Quarry 148450W	N/A	N/A	-		-	5/06/2018	684	Nil	6.8	10	16.08	No treatment required. Self Floccing
D S 10 & 11	LendLease	Gibsons Quarry 148450W	N/A	N/A	-		-	6/06/2018	547	Nil	7.1	10	13.94	No treatment required. Self Floccing
D S 10 & 11	LendLease	Gibsons Quarry 148450W	N/A	N/A	-		-	7/06/2018	548	Nil	6.9	24	25.4	No treatment required. Self Floccing
D S 10 & 11	LendLease	Montis Basin 149200E	5/06/2018	8/06/2018	51.8		10/05/2018	7/06/2018	696	Nil	7.1	25	32.4	No treatment required. Basin inlet and drainage lines pre dosed with gypsum on 28/5/2018
D S 10 & 11	LendLease	Gibsons Quarry 148450W	5/06/2018	8/06/2018	51.8		10/05/2018	8/06/2018	626	Nil	7.5	5	8.95	No treatment required. Basin inlet and drainage lines pre dosed with gypsum on 28/5/2018
D S 10 & 11	LendLease	Cut 3 South West 147220W	5/06/2018	8/06/2018	51.8		10/05/2018	8/06/2018	298	Nil	8.4	19	33.3	No treatment required. Basin inlet and drainage lines pre dosed with gypsum on 28/5/2018
D S 10 & 11	LendLease	Montis Basin 149200E	5/06/2018	8/06/2018	51.8		10/05/2018	8/06/2018	870	Nil	8.4	10	24.6	No treatment required. Basin inlet and drainage lines pre dosed with gypsum on 28/5/2018
D S 10 & 11	LendLease	Wardell Road Basin CH152800	5/06/2018	8/06/2018	51.8		30/05/2018	8/06/2018	885	Nil	7.8	17	42.4	No treatment required. Basin inlet and drainage lines pre dosed with gypsum on 28/5/2018
D S 10 & 11	LendLease	Cut 3 Sth East 147220E	5/06/2018	8/06/2018	51.8		10/05/2018	8/06/2018	345	Nil	8.4	15	36.8	No treatment required. Basin inlet and drainage lines pre dosed with gypsum on 28/5/2018
D S 10 & 11	LendLease	Gibsons Quarry CH148450	N/A	N/A	-		-	13/06/2018	439	Nil	6.9	3	7.73	No treatment required. Self Floccing
D S 10 & 11	LendLease	Cut 3 South West 147220W	10/06/2018	10/06/2018	11.6		10/05/2018	13/06/2018	672	Nil	7.4	23	45.8	No treatment required. Basin inlet and drainage lines pre dosed with gypsum on 28/5/2018
D S 10 & 11	LendLease	Gibsons Quarry 148450W	N/A	N/A	-		-	14/06/2018	523	Nil	6.8	4	8.36	No treatment required. Self Floccing
D S 10 & 11	LendLease	Cut 3 South West 147220W	10/06/2018	10/06/2018	11.6		10/05/2018	14/06/2018	298	Nil	7.3	25	48.5	No treatment required. Basin inlet and drainage lines pre dosed with gypsum on 28/5/2018
D S 10 & 11	LendLease	Cut 3 Sth East 147220E	10/06/2018	10/06/2018	11.6		10/05/2018	14/06/2018	108	Nil	6.9	<1	5.79	No treatment required. Basin inlet and drainage lines pre dosed with gypsum on 28/5/2018
D S 10 & 11	LendLease	Cut 3 South West 147220W	10/06/2018	10/06/2018	11.6		10/05/2018	15/06/2018	298	Nil	6.7	8	46.5	No treatment required. Basin inlet and drainage lines pre dosed with gypsum on 28/5/2018
D S 10 & 11	LendLease	Cut 3 Sth East 147220E	10/06/2018	10/06/2018	11.6		10/05/2018	15/06/2018	60	Nil	6.8	<1	2.55	No treatment required. Basin inlet and drainage lines pre dosed with gypsum on 28/5/2018
D S 10 & 11	LendLease	Gibsons Quarry 148450W	N/A	N/A	-		-	15/06/2018	489	Nil	7	6	7.21	No treatment required. Self Floccing
E	AFHJV	Sediment Basin 1	5/06/2018	7/06/2018	97.4		7/06/2018	8/06/2018	200	Nil	7.98	24	42.5	TSS-NTU relationship not approved
E	AFHJV	Sediment Basin 1	8/06/2018	11/06/2018	13.2		7/06/2018	12/06/2018	500	Nil	8.04	5	36.4	
E	AFHJV	Sediment Basin 2	5/06/2018	7/06/2018	97.4		7/06/2018	8/06/2018	1320	Nil	8.23	15	32.8	
E	AFHJV	Sediment Basin 2	26/06/2018	28/06/2018	23.2		28/06/2018	29/06/2018	600	Nil	7.98	8	12.9	